

## INFORMACIONES

### Bibliomed sobre diabetes y género

#### Bibliomed related to diabetes and gender

#### DIABETES MELLITUS/mujeres

Amini M, Horri N, Farmani M, Haghghi S, Sattari G, Pornag-hshband Z, et al. Prevalence of polycystic ovary syndrome in reproductive-aged women with type 2 diabetes. *Gynecological Endocrinology* [serie en internet] 2008 [citado 2 Febrero 2009]; 24(8): [Aprox. 6 p]. Disponible en:  
[http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34716926&login\\_page=Login.asp&lang=es&site=ehost-live](http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34716926&login_page=Login.asp&lang=es&site=ehost-live)

Drake L. Early pregnancy care is vital for women with diabetes. *Nursing Standard* [serie en internet] 2008 [citado 2 Febrero 2009]; 23(6): [Aprox. 1 p]. Disponible en:  
[http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35142554&login\\_page=Login.asp&lang=es&site=ehost-live](http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35142554&login_page=Login.asp&lang=es&site=ehost-live)

Enlist Fruits and Green Veggies in Battle Against Diabetes. *Tufts University Health & Nutrition Letter* [serie en internet] 2008 [citado 2 de Febrero 2009]; 26(7):8. Disponible en:  
[http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34264763&login\\_page=Login.asp&lang=es&site=ehost-live](http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34264763&login_page=Login.asp&lang=es&site=ehost-live)

Heidemann C, Sun Q, van Dam R, Meigs J, Zhang C, Tworoger S, et al. Total and High-Molecular-Weight Adiponectin and Resistin in Relation to the Risk for Type 2 Diabetes in Women. *Annals of Internal Medicine* [serie en internet] 2008, Sep 02 [citado 2 Febrero 2009]; 149(5): [Aprox. 7 p]. Disponible en:  
[http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34229452&login\\_page=Login.asp&lang=es&site=ehost-live](http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34229452&login_page=Login.asp&lang=es&site=ehost-live)

Hwang L, Chen C, Lin B. Obesity and changes in body weight related to 10-year diabetes incidence in women in Taiwan (1993-2003). *Asia Pacific Journal of Clinical Nutrition* [serie en internet] 2007 Dec [citado 2 de Febrero 2009]; 16(4): [Aprox. 5 p]. Disponible en:  
[http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=27763894&login\\_page=Login.asp&lang=es&site=ehost-live](http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=27763894&login_page=Login.asp&lang=es&site=ehost-live)

Kim C, McEwen L, Sarma A, Piette J, Herman W. Stress Urinary Incontinence in Women with a History of Gestational Diabetes Mellitus. *Journal of Women's Health (15409996)* [serie en internet] 2008 [citado 2 de Febrero 2009]; 17(5): [Aprox. 9 p]. Disponible en:

<http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=32543604&loginpage=Login.asp&lang=es&site=ehost-live>

Mezones-Holguín E, Biamel J, Huezo M, Vargas R, Castro J, Córdova W, et al. Impact of diabetes mellitus on the sexuality of Peruvian postmenopausal. Gynecological Endocrinology [serie en internet] 2008 [citado 2 Febrero 2009]; 24(8): [Aprox. 5 p]. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34716928&loginpage=Login.asp&lang=es&site=ehost-live>

Predicting Disturbed Patterns of Eating Among Girls with Type 1 Diabetes. Eating Disorders Review [serie en internet] 2008 [citado 2 Febrero 2009]; 19(6):10. [Aprox. 1 p]. Disponible en:

<http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35566555&loginpage=Login.asp&lang=es&site=ehost-live>

Pregnancy glucose warning. Pulse [serie en internet] 2008 [citado 2 Febrero 2009]; 68(22). Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=34238972&loginpage=Login.asp&lang=es&site=ehost-live>

Skelly AH, Leeman J, Carlson J, Soward AC, Burns D. Conceptual model of symptom-focused diabetes care for African Americans. J Nurs Scholarsh [serie en internet] 2008 [citado 2 Febrero 2009]; 40(3):261-7. [Aprox. 7 p]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18840210>

Sweetened fruit drinks associated with type 2 diabetes. Nursing Standard [serie en internet]. 2008 [citado 2 Febrero 2009] 23(6):17. Disponible en: <http://search.ebscohost.com/login.aspx?direct=true&db=aph&AN=35142484&loginpage=Login.asp&lang=es&site=ehost-live>

## DIABETES MELLITUS/diagnóstico

Bakris G, Burgess E, Weir M, Davidai G, Koval S. AMADEO Study Investigators. Telmisartan is more effective than losartan in reducing proteinuria in patients with diabetic nephropathy. Kidney Int. 2008 Aug; 74(3):364-9. Ejemplar localizado en: BMN.

Becker A, Leber AW, Becker C, von Ziegler F, Tittus J, Schroeder I, et al. Predictive value of coronary calcifications for future cardiac events in asymptomatic patients with diabetes mellitus: a prospective study in 716 patients over 8 years. BMC Cardiovasc Disord [serie en internet] 2008 [citado 2 Febrero 2009]; 8:27 [Aprox. 7 p]. Disponible en: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18847481>

Beeri MS, Schmeidler J, Silverman JM, Gandy S, Wysocki M, Hannigan CM, et al. Insulin in combination with other diabetes medication is associated with less Alzheimer neuropathology. Neurology. 2008 Sep 2; 71(10):750-7. Ejemplar localizado en: CIREN.

Berrazueta Fernández JR de. When should we start the treatment of the cardiovascular risk factors. An R Acad Nac Med (Madr). 2008;125(1):125-36; discussion 136-44.

Ejemplar localizado en: CPICM-HOL, HPD-HOL.

Brixner D, Ghate SR, McAdam-Marx C, Ben-Joseph R, Said Q. Association between cardiometabolic risk factors and body mass index based on diagnosis and treatment codes in an electronic medical record database. J Manag Care Pharm Disord [serie en internet] 2008 [citado 2 Febrero 2009];14(8): [Aprox. 11 p]. Disponible en: [http://www.ncbi.nlm.nih.gov/pubmed/18983205?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed\\_Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum&log\\$=freejr](http://www.ncbi.nlm.nih.gov/pubmed/18983205?ordinalpos=3&itool=EntrezSystem2.PEntrez.Pubmed_Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum&log$=freejr)

Hsiao FC, Hsieh CH. Images in clinical medicine. Severe softtissue infection. N Engl J Med. 2008 Feb 28;358(9):940.

Ejemplar localizado en: BMN.

Jones KL. Role of obesity in complicating and confusing the diagnosis and treatment of diabetes in children. Pediatrics. 2008 Feb;121(2):361-8.

Ejemplar localizado en: BMN.

Martínez Ramírez HR, Cortés-Sanabria L, Rojas-Campos E, Barragán G, Alfaro G, Hernández M, et al. How frequently the clinical practice recommendations for nephropathy are achieved in patients with type 2 diabetes mellitus in a primary health care setting? Rev Invest Clin. 2008 May-Jun;60(3):217-26.

Ejemplar localizado en: CPICM-CF, CPICM-SS.

Park P, Simmons RK, Prevost AT, Griffin SJ. Screening for type 2 diabetes is feasible, acceptable, but associated with increased short-term anxiety: a randomised controlled trial in British general practice. BMC Public Health [serie en internet] 2008 [citado 2 Febrero 2009];8: 350. [Aprox. 6 p]. Disponible en:

<http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=18840266>

Primo ME, Nieponomiszcze H, Poskus E, Sala MS, Guaita SS, Sica MP, et al. Frequency of pancreatic beta-cell autoimmunity markers in patients with autoimmune thyroid disease. Medicina (B Aires). 2008;68(1):37-42.

Ejemplar localizado en: HPD-HOL.

Rewers A, Klingensmith G, Davis C, Petitti DB, Pihoker C, Rodriguez B, et al. Presence of diabetic ketoacidosis at diagnosis of diabetes mellitus in youth: the Search for Diabetes in Youth Study. Pediatrics. 2008 May;121(5):1258-66.

Ejemplar localizado en: BMN.

Rodríguez-Morin M, Alvarado Ruiz R, Morales-Franco G, Guerrero Romero F. Combination of a self administered questionnaire with capillary glucose determination in the screening of type 2 diabetes. Salud Publica Mex. 2008 Jul-Aug;50(4):272.

Ejemplar localizado en: CPICM-C, CPICM-HOL, HPD-HOL.

Schattner A, Zornitzki T, Adi M, Friedman J. Painful swelling in the thigh: diabetic muscle infarction. CMAJ [serie en internet] 2009 [citado 2 Febrero 2009];180(1):72-4. [Aprox. 6 p]. Disponible en:

<http://www.pubmedcentral.nih.gov/articlerender.fcgi?tool=pubmed&pubmedid=19124793>

Skelly AH, Leeman J, Carlson J, Soward AC, Burns D. Conceptual model of symptom focused diabetes care for African Americans. *J Nurs Scholarsh* [serie en internet] 2008 [citado 2 Febrero 2009]; 40(3):261-7. [Aprox. 6 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1840210/>

Skowron A, Ellis RJ, Arif S, Huang GC, Van-Krinks C, Zaremba A, et al. CTLs are targeted to kill beta cells in patients with type 1 diabetes through recognition of a glucose regulated preproinsulin epitope. *J Clin Invest.* 2008 Oct;118(10):3390-402. [Aprox. 12 p]. Disponible en: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC18802479/>

## **DIABETES MELLITUS/prevención y control**

Advance Collaborative Group, Patel A, MacMahon S, Chalmers J, Neal B, Billot L, et al. Intensive blood glucose control and vascular outcomes in patients with type 2 diabetes. *N Engl J Med.* 2008 Jun 12;358(24):2560-72.  
Ejemplar localizado en: BMN.

Ávila-Curiel A, Shamah-Levy T, Galindo-Gómez C, Cuevas-Nasu L, Moreno-Macias H, Chávez-Villasana A. Diabetes mellitus within low socioeconomic strata in Mexico City: a relevant problem. *Rev Invest Clin.* 2007 Jul-Aug;59(4):246-55.  
Ejemplar localizado en: CPICM-SS.

Brown WJ, Hockey R, Dobson A. Rose revisited: a "middle road" prevention strategy to reduce noncommunicable chronic disease risk. *Bull World Health Organ.* 2007 Nov;85(11):886-7.  
Ejemplar localizado en: CPICM-VC.

Colina-Araujo JA, Godoy-Godoy N, Colina-Chourio JA, Avila R, Rincon T. Nephroprotection from calcium channels blocking agents: a contribution to their probable mechanism of action. *Invest Clin.* 2008 Sep;49(3):369-85.  
Ejemplar localizado en: CPICM-C.

Kinmonth AL, Wareham NJ, Hardeman W, Sutton S, Prevost AT, Fanshawe T, et al. Efficacy of a theory based behavioural intervention to increase physical activity in an at risk group in primary care (ProActive UK): a randomised trial. *Lancet.* 2008 Jan 5; 371(9606):41-8.  
Ejemplar localizado en: BMN.

Mozaffarian D, Marfisi R, Levan-tesi G, Silletta MG, Tavazzi L, Tognoni G, et al. Incidence of new onset diabetes and impaired fasting glucose in patients with recent myocardial infarction and the effect of clinical and lifestyle risk factors. *Lancet.* 2007 Aug 25;370(9588):667-75.  
Ejemplar localizado en: BMN.

Parving HH, Persson F, Lewis JB, Lewis EJ, Hollenberg NK. AVOID Study Investigators. Aliskiren combined with losartan in type 2 diabetes and nephropathy. *N Engl J Med.* 2008 Jun 5;358(23):2433-46.  
Ejemplar localizado en: BMN.

Sahyoun NR, Anderson AL, Tylavsky FA, Lee JS, Sellmeyer DE, Harris TB, et al. Dietary glycemic index and glycemic load and the risk of type 2 diabetes in older adults. *Am J Clin Nutr.* 2008 Jan; 87(1):126-31.  
Ejemplar localizado en: BMN.

Senior PA, MacNair L, Jindal K. Delivery of multifactorial interventions by nurse and dietitian teams in a community setting to prevent diabetic complications: a quality-improvement report. *Am J Kidney Dis.* 2008 Mar; 51(3):425-34.  
Ejemplar localizado en: BMN.

## **DIABETES MELLITUS/terapia**

Ecker JL, Greene MF. Gestational diabetes setting limits, exploring treatments. *N Engl J Med.* 2008 May 8;358(19):2061-3. Erratum in: *N Engl J Med.* 2008 May 29;358(22):2418.  
Ejemplar localizado en: BMN, H-HA, IMT-PK.

Rowan JA, Hague WM, Gao W, Battin MR, Moore MP. MiG Trial Investigators. Metformin versus insulin for the treatment of gestational diabetes. *N Engl J Med.* 2008 May 8;358(19):2003-15. Erratum in: *N Engl J Med.* 2008 Jul 3;359(1):106.  
Ejemplar localizado en: BMN.

Hedderson MM, Williams MA, Holt VL, Weiss NS, Ferrara A. Body mass index and weight gain prior to pregnancy and risk of gestational diabetes mellitus. *Am J Obstet Gynecol.* 2008 Apr;198(4):409.e1-7. Epub. 2008 Feb 20.  
Ejemplar localizado en: BMN.

Hod M, Damm P, Kaaja R, Visser GH, Dunne F, Demidova I, et al. Fetal and perinatal outcomes in type 1 diabetes pregnancy: a randomized study comparing insulin aspart with human insulin in 322 subjects. *Am J Obstet Gynecol.* 2008 Feb;198(2):186.e1-7.  
Ejemplar localizado en: BMN.

Fassett MJ, Dhillon SH, Williams TR. Effects on perinatal outcome of treating women with 1 elevated glucose tolerance test value. *Am J Obstet Gynecol.* 2007 Jun;196(6):597.e1-4; discussion 597.e4.  
Ejemplar localizado en: BMN.

Hitti J, Andersen J, McComsey G, Liu T, Melvin A, Smith L, et al. Protease inhibitor-based antiretroviral therapy and glucose tolerance in pregnancy: AIDS Clinical Trials Group A5084. *Am J Obstet Gynecol.* 2007 Apr;196(4):331.e1-7.  
Ejemplar localizado en: BMN.

Khurana A, Vinayek N. Case 36-2006: a pregnant woman with new hypertension. *N Engl J Med.* 2007 Mar 1;356(9):967; author reply 968.  
Ejemplar localizado en: BMN.

## **DIABETES GESTACIONAL/diagnóstico**

Ecker JL, Greene MF. Gestational diabetes setting limits, exploring treatments. *N Engl J Med.* 2008 May 8;358(19):2061-3. Erratum in: *N Engl J Med.* 2008 May 29;358(22):2418.

Ejemplar localizado en: BMN.

Hawkins JS, Lo JY, Casey BM, McIntire DD, Leveno KJ. Diet treated gestational diabetes mellitus: comparison of early vs. routine diagnosis. *Am J Obstet Gynecol.* 2008 Mar;198(3):287.e1-6.

Ejemplar localizado en: BMN.

Hunt KJ, Conway DL. Who returns for postpartum glucose screening following gestational diabetes mellitus? *Am J Obstet Gynecol.* 2008 Apr;198(4):404.e1-6.

Ejemplar localizado en: BMN.

## **DIABETES GESTACIONAL/prevención y control**

Hedderson MM, Williams MA, Holt VL, Weiss NS, Ferrara A. Body mass index and weight gain prior to pregnancy and risk of gestational diabetes mellitus. *Am J Obstet Gynecol.* 2008 Apr;198(4):409.e1-7.

Ejemplar localizado en: BMN.

Dudley DJ. Diabetic associated stillbirth: incidence, pathophysiology, and prevention. *Clin Perinatol.* 2007 Dec;34(4):611-26.

Ejemplar localizado en: BMN.

Fassett MJ, Dhillon SH, Williams TR. Effects on perinatal outcome of treating women with 1 elevated glucose tolerance test value. *Am J Obstet Gynecol.* 2007 Jun;196(6):597.e1-4; discussion 597.e4.

Ejemplar localizado en: BMN.

Hitti J, Andersen J, McComsey G, Liu T, Melvin A. Clinical Trials Group 5084 Study Team, et al. Protease inhibitor based antiretroviral therapy and glucose tolerance in pregnancy: AIDS Clinical Trials Group A5084. *Am J Obstet Gynecol.* 2007 Apr;196(4):331.e1-7.

Ejemplar localizado en: BMN.

## **DIABETES GESTACIONAL/terapia**

Hawkins JS, Lo JY, Casey BM, McIntire DD, Leveno KJ. Diet-treated gestational diabetes mellitus: comparison of early vs. routine diagnosis. *Am J Obstet Gynecol.* 2008 Mar;198(3):287.e1-6.

Ejemplar localizado en: BMN.

Pappa KI, Vlachos G, Theodora M, Roubelaki M, Angelidou K, Antsaklis A. Intermediate metabolism in association with the amino acid profile during the third trimester of normal pregnancy and diet controlled gestational diabetes. *Am J Obstet Gynecol.* 2007 Jan;196(1):65.e1-5. PMID: 17240238 [PubMed-indexed for MEDLINE].

Ejemplar localizado en: BMN.

Langer O, Yogev Y, Xenakis EM, Brustman L. Overweight and obese in gestational diabetes: the impact on pregnancy outcome. Am J Obstet Gynecol. 2005 Jun; 192(6):1768-76. PMID: 15970805 [PubMed-indexed for MEDLINE]. Ejemplar localizado en: BMN.

**Descriptores DeCS y MeSH utilizados para localizar la información:**

<b>DeCS</b>	<b>MeSH</b>
DIABETES MELLITUS/diagnóstico	DIABETES MELLITUS/diagnosis
DIABETES MELLITUS/prevención y control and control	DIABETES MELLITUS/prevention
DIABETES MELLITUS/terapia	DIABETES MELLITUS/therapy
DIABETES GESTACIONAL/diagnóstico GESTATIONAL/diagnosis	DIABETES
DIABETES GESTACIONAL/prevención y control GESTATIONAL/prevention and control	DIABETES
DIABETES GESTACIONAL/tratamiento	DIABETES GESTATIONAL/therapy
MUJERES	WOMEN