


—


—

give abundant meat and milk productions. Eastern Europe is a secondary important pole for cattle. Several cattle breeds were selected in the Mediterranean Western Europe; these were especially multipurpose breeds that were used also for work.



is very efficient and remunerative in the local conditions; unfortunately the excessive diffusion and the replacement of native forest with few annual crops have led to soil salinization over





in the pastures and in the forest and them use firebreaks as excursion lanes within the farm.

The natural conditions of rearing give high quality to the foods that in many farms are certified as organic and get a consistent added

Quality foods

The low economic convenience is unfortunately a negative side of complex agro-

—

—

Conclusions

At present agronomy is not able to increase the productivity of the Mediterranean agriculture enough to rise the wealthy of most rural people to levels comparable to that of the industrialized areas. Migration of people to towns and land

the contrary some clearings increase landscape beauty thanks to their position; the management can be focused on these sites, where grazing livestock attracts further the presence of tourists in the area. In both cases of guided abandon or improved management, the plan in 10(e)2(n)-QB(u)d-5()70la i 3utd 3her 3iitis 432csa(3)2bhe 3a 3i 3(r)-3dher to improve-2(490(to)5(u)5(r)2(is)-7t()70(f)1rf)1(u)5i(t)-10i(o)5(n)5.t pot39et39i o90(m)59e 6-3df r56(o90(m)59()41(m)59uo)70lt36(t39i)-3(p)9lt39e s -9-7ofr -864(t)-5(he)-2(-9-7ti)-5herrit(r)-3(y)10(-9-7ae)-2(r)-3he -9-7hu(g)10(e)-2n; -864non(e)-2(t)-5(he)-2lis -9

Abdelguerfi, A. & Abdelguerfi-Laouar, M. 2004. Les

Mediterranean ecosystems. Proc. Int. Workshop
on Ecological basis of livestock grazing in
Mediterranean ecosystems. Thessaloniki, Greece.
p.275



